



Bevel King Doors

9/21/2010

SCHEDULE OF ROUGH OPENING'S FOR STANDARD BEVEL KING CONFIGURATIONS

<u>SINGLE UNITS</u>	<u>UNIT DIMENSION</u>	<u>ROUGH OPENING</u>
3' 0 x 6' 8 SINGLE	37 15/16" X 82 3/4"	38 15/16" X 83 1/2"
3' 0 X 6' 8 SINGLE W/ 10" SIDELITES	61 7/16" X 82 3/4"	62 7/16" X 83 1/2"
3' 0 X 6' 8 SINGLE W/ 10" SIDELITES and 10" RECTANGLE TRANSOM	61 7/16" X 94 5/8"	62 7/16" X 95 3/8"
3' 0 X 6' 8 SINGLE W/ 10" SIDELITES and ELLIPTICAL TRANSOM	60 5/8" X 98 3/4"	61 5/8" X 99 1/2"
3' 0 X 6' 8 SINGLE W/ 10" SIDELITES and HALF CIRCLE TRANSOM	60 5/8" X 113 1/2"	61 5/8" X 114 1/4"
3' 0 X 6' 8 SINGLE W/ 12" SIDELITES	65 7/16" X 82 3/4"	66 7/16" X 83 1/2"
3' 0 X 6' 8 SINGLE W/ 12" SIDELITES and 12" RECTANGLE TRANSOM	65 7/16" X 96 5/8"	66 7/16" X 97 3/8"
3' 0 X 6' 8 SINGLE W/ 12" SIDELITES and ELLIPTICAL TRANSOM	64 5/8" X 103"	65 5/8" X 103 3/4"
3' 0 X 6' 8 SINGLE W/ 12" SIDELITES and HALF CIRCLE TRANSOM	64 5/8" X 115 1/4"	65 5/8" X 116"
3' 0 X 6' 8 SINGLE W/ 14" SIDELITES	69 7/16 " X 82 3/4"	70 7/16" X 83 1/2"
3' 0 X 6' 8 SINGLE W/ 14" SIDELITES and 14" RECTANGLE TRANSOM	69 7/16" X 98 5/8"	70 7/16" X 99 3/8"
3' 0 X 6' 8 SINGLE W/ 14" SIDELITES and ELLIPTICAL TRANSOM	68 5/8" X 103"	69 5/8" X 103 3/4"
3' 0 X 6' 8 SINGLE W/ 14" SIDELITES and HALF CIRCLE TRANSOM	68 5/8" X 117 3/4"	69 5/8" X 118 1/2"

For 8' 0" height units: Add 16" to the overall height of the above 6' 8 configurations.



Bevel King Doors

9/21/2010

SCHEDULE OF ROUGH OPENING'S FOR STANDARD BEVEL KING CONFIGURATIONS

Note: our rabbeted thickness on jambs is 7/8"



Bevel King Doors

9/21/2010

SCHEDULE OF ROUGH OPENING'S FOR STANDARD BEVEL KING CONFIGURATIONS

<u>DOUBLE UNITS</u>	<u>UNIT DIMENSION</u>	<u>ROUGH OPENING</u>
5' 0 X 6' 8 DOUBLE UNIT <i>NOTE: may be trimmed as needed</i>	62 7/16" X 82 3/4"	63 7/16" X 83 1/2"
5' 0 X 6' 8 DOUBLE UNIT WITH 12" RECTANGULAR TRANSOM <i>NOTE: may be trimmed as needed</i>	62 7/16" X 96 5/8"	63 7/16" X 97 3/8"
5' 0 X 6' 8 DOUBLE UNIT WITH ELLIPTICAL TRANSOM	60 5/8" X 98 3/4"	61 5/8" X 99 1/2"
5' 0 X 6' 8 DOUBLE UNIT WITH HALF CIRCLE TRANSOM	60 5/8" X 113 1/2"	61 5/8" X 114 1/4"
5' 4 X 6' 8 DOUBLE UNIT <i>NOTE: may be trimmed as needed</i>	66 7/16" X 82 3/4"	67 7/16" X 83 1/2"
5' 4 X 6' 8 DOUBLE UNIT WITH 12" RECTANGULAR TRANSOM <i>NOTE: may be trimmed as needed</i>	66 7/16" X 96 5/8"	67 7/16" X 97 3/8"
5' 4 X 6' 8 DOUBLE UNIT WITH ELLIPTICAL TRANSOM	64 5/8" X 103"	65 5/8" X 103 3/4"
5' 4 X 6' 8 DOUBLE UNIT WITH HALF CIRCLE TRANSOM	64 5/8" X 115 1/4"	65 5/8" X 116"
6' 0 X 6' 8 DOUBLE UNIT	74 5/8" X 82 3/4"	75 5/8" X 83 1/2"
6' 0 X 6' 8 DOUBLE UNIT WITH 12" RECTANGULAR TRANSOM	74 5/8" X 96 5/8"	75 5/8" X 97 3/8"
6' 0 X 6' 8 DOUBLE UNIT WITH ELLIPTICAL TRANSOM	74 5/8" X 103"	75 5/8" X 103 3/4"
6' 0 X 6' 8 DOUBLE UNIT WITH HALF CIRCLE TRANSOM	74 5/8" X 120"	75 5/8" X 120 3/4"

For 8' 0" height units: Add 16" to the overall height of the above 6' 8 configurations.



Bevel King Doors

9/21/2010

SCHEDULE OF ROUGH OPENING'S FOR STANDARD BEVEL KING CONFIGURATIONS

Note: our rabbeted thickness on jambs is 7/8"